



Philips GreenPerform Highbay: A versatile LED highbay that's designed to optimize performance

GreenPerform Highbay Rectangular

The GreenPerform Highbay Rectangular continues the GreenPerform family's enviable reputation for reliable performance, providing. Not only does it deliver Unified Glare Rating (UGR) control with its optimized optical design, it also promises leading system efficiency, compact dimensions and extended long-term quality. Optimized for almost all industrial applications, it is also fully compatible with IoT software such as the Interact scalable system.

Benefits

- Excellent energy savings
- Long-term quality and reliability
- Great design flexibility and convenience thanks to optimized optics and multiple control options

Features








- 140 lm/W system efficacy
- 70,000 hours lifetime @Ta 35°C
- Glare control (Near Beam), uniform illumination (Wide Beam) and maximal spacing (High-Rack Optic).
- Works seamlessly with the Interact IoT software and platform
- Compact and robust design

GreenPerform Highbay Rectangular

Application

- Warehouses
- Manufacturing
- Distribution center
- Exhibition hall

Dimensional drawing



Approval and Application

Protection class IEC	Safety class I
Ingress protection code	IP65

Initial Performance (IEC Compliant)

Luminous flux tolerance	+/-10%
-------------------------	--------

Light Technical

GreenPerform Highbay Rectangular

Order Code	Full Product Name	Optical cover/lens type	Order Code	Full Product Name	Optical cover/lens type
911401590761	BY570P LED100/CW PSU WB GM	Transparent dome	911401596561	BY570P LED200/865 PSU WB CAU CL	Transparent dome
911401590861	BY570P LED100/NW PSU WB GM	Transparent dome	911401596661	BY570P LED200/840 PSU WB CAU CL	Transparent dome
911401590961	BY570P LED100/CW PSU HRO GM	Transparent dome	911401514981	BY570X LED100/NW Connected WB GM	Clear dome
911401591061	BY570P LED100/NW PSU HRO GM	Transparent dome	911401515081	BY570X LED100/NW Connected HRO GM	Clear dome
911401591161	BY570P LED150/CW PSU WB GM	Transparent dome	911401515181	BY570X LED150/NW Connected WB GM	Clear dome
911401591261	BY570P LED150/NW PSU WB GM	Transparent dome	911401515281	BY570X LED150/NW Connected HRO GM	Clear dome
911401591361	BY570P LED150/CW PSU HRO GM	Transparent dome	911401515381	BY570X LED200/NW Connected WB GM	Clear dome
911401591461	BY570P LED150/NW PSU HRO GM	Transparent dome	911401515481	BY570X LED200/NW Connected HRO GM	Clear dome
911401592361	BY570P LED100/NW PSD WB GM	Transparent dome	911401515581	BY570X LED100/CW Connected WB GM	Clear dome
911401592461	BY570P LED100/NW PSD HRO GM	Transparent dome	911401515681	BY570X LED100/CW Connected HRO GM	Clear dome
911401592561	BY570P LED150/NW PSD WB GM	Transparent dome	911401515781	BY570X LED150/CW Connected WB GM	Clear dome
911401592661	BY570P LED150/NW PSD HRO GM	Transparent dome	911401515881	BY570X LED150/CW Connected HRO GM	Clear dome
911401593161	BY570P LED100/CW PSD WB GM	Transparent dome	911401515981	BY570X LED200/CW Connected WB GM	Clear dome
911401593261	BY570P LED100/CW PSD HRO GM	Transparent dome	911401516081	BY570X LED200/CW Connected HRO GM	Clear dome
911401593361	BY570P LED150/CW PSD WB GM	Transparent dome	911401516281	BY570X LED100/CW Connected NB GM	Clear dome
911401593461	BY570P LED150/CW PSD HRO GM	Transparent dome	911401516381	BY570X LED100/NW Connected NB GM	Clear dome
911401593961	BY570P LED100/CW PSU NB GM	Transparent dome	911401516481	BY570X LED150/CW Connected NB GM	Clear dome
911401594061	BY570P LED100/NW PSU NB GM	Transparent dome	911401516581	BY570X LED150/NW Connected NB GM	Clear dome
911401594161	BY570P LED150/CW PSU NB GM	Transparent dome	911401516681	BY570X LED200/CW Connected NB GM	Clear dome
911401594261	BY570P LED150/NW PSU NB GM	Transparent dome	911401516881	BY570X LED100/840 Connected HRO CAU	Clear dome
911401594761	BY570P LED100/CW PSD NB GM	Transparent dome	911401516981	BY570X LED150/840 Connected WB CAU	Clear dome
911401594861	BY570P LED100/NW PSD NB GM	Transparent dome	911401517081	BY570X LED150/840 Connected HRO CAU	Clear dome
911401594961	BY570P LED150/CW PSD NB GM	Transparent dome	911401517181	BY570X LED200/840 Connected WB CAU	Clear dome
911401595061	BY570P LED150/NW PSD NB GM	Transparent dome	911401517281	BY570X LED200/840 Connected HRO CAU	Clear dome
911401591961	BY570P LED250/CW PSU WB GM	Transparent dome	911401517381	BY570X LED100/850 Connected WB CAU	Clear dome
911401592061	BY570P LED250/NW PSU WB GM	Transparent dome	911401517481	BY570X LED100/850 Connected HRO CAU	Clear dome
911401592161	BY570P LED250/CW PSU HRO GM	Transparent dome	911401517581	BY570X LED150/850 Connected WB CAU	Clear dome
911401592261	BY570P LED250/NW PSU HRO GM	Transparent dome	911401517681	BY570X LED150/850 Connected HRO CAU	Clear dome
911401592961	BY570P LED250/NW PSD WB GM	Transparent dome	911401517781	BY570X LED200/850 Connected WB CAU	Clear dome
911401593061	BY570P LED250/NW PSD HRO GM	Transparent dome	911401517881	BY570X LED200/850 Connected HRO CAU	Clear dome
911401593761	BY570P LED250/CW PSD WB GM	Transparent dome	911401517981	BY570X LED100/850 Connected NB CAU	Clear dome
911401593861	BY570P LED250/CW PSD HRO GM	Transparent dome	911401518081	BY570X LED100/840 Connected NB CAU	Clear dome
911401594561	BY570P LED250/CW PSU NB GM	Transparent dome	911401518181	BY570X LED150/850 Connected NB CAU	Clear dome
911401594661	BY570P LED250/NW PSU NB GM	Transparent dome	911401518281	BY570X LED150/840 Connected NB CAU	Clear dome
911401595361	BY570P LED250/CW PSD NB GM	Transparent dome	911401518381	BY570X LED200/850 Connected NB CAU	Clear dome
911401595461	BY570P LED250/NW PSD NB GM	Transparent dome	911401518481	BY570X LED200/840 Connected NB CAU	Clear dome
911401597161	BY570P LED250/865 PSU WB CAU CL	Transparent dome	911401519881	BY570X LED200/NW Connected NB GM	Clear dome
911401597261	BY570P LED250/840 PSU WB CAU CL	Transparent dome	911401532681	BY570X LED250/NW Connected WB GM	Clear dome
911401591561	BY570P LED200/CW PSU WB GM	Transparent dome	911401532781	BY570X LED250/NW Connected HRO GM	Clear dome
911401591661	BY570P LED200/NW PSU WB GM	Transparent dome	911401532881	BY570X LED250/CW Connected WB GM	Clear dome
911401591761	BY570P LED200/CW PSU HRO GM	Transparent dome	911401532981	BY570X LED250/CW Connected HRO GM	Clear dome
911401591861	BY570P LED200/NW PSU HRO GM	Transparent dome	911401533081	BY570X LED250/CW Connected NB GM	Clear dome
911401592761	BY570P LED200/NW PSD WB GM	Transparent dome	911401533181	BY570X LED250/NW Connected NB GM	Clear dome
911401592861	BY570P LED200/NW PSD HRO GM	Transparent dome	911401533281	BY570X LED250/840 Connected WB CAU	Clear dome
911401593561	BY570P LED200/CW PSD WB GM	Transparent dome	911401533381	BY570X LED250/840 Connected HRO CAU	Clear dome
911401593661	BY570P LED200/CW PSD HRO GM	Transparent dome	911401533481	BY570X LED250/850 Connected WB CAU	Clear dome
911401594361	BY570P LED200/CW PSU NB GM	Transparent dome	911401533581	BY570X LED250/850 Connected HRO CAU	Clear dome
911401594461	BY570P LED200/NW PSU NB GM	Transparent dome	911401533681	BY570X LED250/850 Connected NB CAU	Clear dome
911401595161	BY570P LED200/CW PSD NB GM	Transparent dome	911401533781	BY570X LED250/840 Connected NB CAU	Clear dome
911401595261	BY570P LED200/NW PSD NB GM	Transparent dome			

Operating and Electrical

GreenPerform Highbay Rectangular

Order Code	Full Product Name	Input Voltage	Order Code	Full Product Name	Input Voltage
911401590761	BY570P LED100/CW PSU WB GM	220 to 240 V	911401596561	BY570P LED200/865 PSU WB CAU CL	220 to 240 V
911401590861	BY570P LED100/NW PSU WB GM	220 to 240 V	911401596661	BY570P LED200/840 PSU WB CAU CL	220 to 240 V
911401590961	BY570P LED100/CW PSU HRO GM	220 to 240 V	911401514981	BY570X LED100/NW Connected WB GM	220-240 V
911401591061	BY570P LED100/NW PSU HRO GM	220 to 240 V	911401515081	BY570X LED100/NW Connected HRO GM	220-240 V
911401591161	BY570P LED150/CW PSU WB GM	220 to 240 V	911401515181	BY570X LED150/NW Connected WB GM	220-240 V
911401591261	BY570P LED150/NW PSU WB GM	220 to 240 V	911401515281	BY570X LED150/NW Connected HRO GM	220-240 V
911401591361	BY570P LED150/CW PSU HRO GM	220 to 240 V	911401515381	BY570X LED200/NW Connected WB GM	220-240 V
911401591461	BY570P LED150/NW PSU HRO GM	220 to 240 V	911401515481	BY570X LED200/NW Connected HRO GM	220-240 V
911401592361	BY570P LED100/NW PSD WB GM	220 to 240 V	911401515581	BY570X LED100/CW Connected WB GM	220-240 V
911401592461	BY570P LED100/NW PSD HRO GM	220 to 240 V	911401515681	BY570X LED100/CW Connected HRO GM	220-240 V
911401592561	BY570P LED150/NW PSD WB GM	220 to 240 V	911401515781	BY570X LED150/CW Connected WB GM	220-240 V
911401592661	BY570P LED150/NW PSD HRO GM	220 to 240 V	911401515881	BY570X LED150/CW Connected HRO GM	220-240 V
911401593161	BY570P LED100/CW PSD WB GM	220 to 240 V	911401515981	BY570X LED200/CW Connected WB GM	220-240 V
911401593261	BY570P LED100/CW PSD HRO GM	220 to 240 V	911401516081	BY570X LED200/CW Connected HRO GM	220-240 V
911401593361	BY570P LED150/CW PSD WB GM	220 to 240 V	911401516281	BY570X LED100/CW Connected NB GM	220-240 V
911401593461	BY570P LED150/CW PSD HRO GM	220 to 240 V	911401516381	BY570X LED100/NW Connected NB GM	220-240 V
911401593961	BY570P LED100/CW PSU NB GM	220 to 240 V	911401516481	BY570X LED150/CW Connected NB GM	220-240 V
911401594061	BY570P LED100/NW PSU NB GM	220 to 240 V	911401516581	BY570X LED150/NW Connected NB GM	220-240 V
911401594161	BY570P LED150/CW PSU NB GM	220 to 240 V	911401516681	BY570X LED200/CW Connected NB GM	220-240 V
911401594261	BY570P LED150/NW PSU NB GM	220 to 240 V	911401516881	BY570X LED100/840 Connected HRO CAU	220-240 V
911401594761	BY570P LED100/CW PSD NB GM	220 to 240 V	911401516981	BY570X LED150/840 Connected WB CAU	220-240 V
911401594861	BY570P LED100/NW PSD NB GM	220 to 240 V	911401517081	BY570X LED150/840 Connected HRO CAU	220-240 V
911401594961	BY570P LED150/CW PSD NB GM	220 to 240 V	911401517181	BY570X LED200/840 Connected WB CAU	220-240 V
911401595061	BY570P LED150/NW PSD NB GM	220 to 240 V	911401517281	BY570X LED200/840 Connected HRO CAU	220-240 V
911401591961	BY570P LED250/CW PSU WB GM	220 to 240 V	911401517381	BY570X LED100/850 Connected WB CAU	220-240 V
911401592061	BY570P LED250/NW PSU WB GM	220 to 240 V	911401517481	BY570X LED100/850 Connected HRO CAU	220-240 V
911401592161	BY570P LED250/CW PSU HRO GM	220 to 240 V	911401517581	BY570X LED150/850 Connected WB CAU	220-240 V
911401592261	BY570P LED250/NW PSU HRO GM	220 to 240 V	911401517681	BY570X LED150/850 Connected HRO CAU	220-240 V
911401592961	BY570P LED250/NW PSD WB GM	220 to 240 V	911401517781	BY570X LED200/850 Connected WB CAU	220-240 V
911401593061	BY570P LED250/NW PSD HRO GM	220 to 240 V	911401517881	BY570X LED200/850 Connected HRO CAU	220-240 V
911401593761	BY570P LED250/CW PSD WB GM	220 to 240 V	911401517981	BY570X LED100/850 Connected NB CAU	220-240 V
911401593861	BY570P LED250/CW PSD HRO GM	220 to 240 V	911401518081	BY570X LED100/840 Connected NB CAU	220-240 V
911401594561	BY570P LED250/CW PSU NB GM	220 to 240 V	911401518181	BY570X LED150/850 Connected NB CAU	220-240 V
911401594661	BY570P LED250/NW PSU NB GM	220 to 240 V	911401518281	BY570X LED150/840 Connected NB CAU	220-240 V
911401595361	BY570P LED250/CW PSD NB GM	220 to 240 V	911401518381	BY570X LED200/850 Connected NB CAU	220-240 V
911401595461	BY570P LED250/NW PSD NB GM	220 to 240 V	911401518481	BY570X LED200/840 Connected NB CAU	220-240 V
911401597161	BY570P LED250/865 PSU WB CAU CL	220 to 240 V	911401519881	BY570X LED200/NW Connected NB GM	220-240 V
911401597261	BY570P LED250/840 PSU WB CAU CL	220 to 240 V	911401532681	BY570X LED250/NW Connected WB GM	220-240 V
911401591561	BY570P LED200/CW PSU WB GM	220 to 240 V	911401532781	BY570X LED250/NW Connected HRO GM	220-240 V
911401591661	BY570P LED200/NW PSU WB GM	220 to 240 V	911401532881	BY570X LED250/CW Connected WB GM	220-240 V
911401591761	BY570P LED200/CW PSU HRO GM	220 to 240 V	911401532981	BY570X LED250/CW Connected HRO GM	220-240 V
911401591861	BY570P LED200/NW PSU HRO GM	220 to 240 V	911401533081	BY570X LED250/CW Connected NB GM	220-240 V
911401592761	BY570P LED200/NW PSD WB GM	220 to 240 V	911401533181	BY570X LED250/NW Connected NB GM	220-240 V
911401592861	BY570P LED200/NW PSD HRO GM	220 to 240 V	911401533281	BY570X LED250/840 Connected WB CAU	220-240 V
911401593561	BY570P LED200/CW PSD WB GM	220 to 240 V	911401533381	BY570X LED250/840 Connected HRO CAU	220-240 V
911401593661	BY570P LED200/CW PSD HRO GM	220 to 240 V	911401533481	BY570X LED250/850 Connected WB CAU	220-240 V
911401594361	BY570P LED200/CW PSU NB GM	220 to 240 V	911401533581	BY570X LED250/850 Connected HRO CAU	220-240 V
911401594461	BY570P LED200/NW PSU NB GM	220 to 240 V	911401533681	BY570X LED250/850 Connected NB CAU	220-240 V
911401595161	BY570P LED200/CW PSD NB GM	220 to 240 V	911401533781	BY570X LED250/840 Connected NB CAU	220-240 V
911401595261	BY570P LED200/NW PSD NB GM	220 to 240 V			

Temperature

GreenPerform Highbay Rectangular

Order Code	Full Product Name	Ambient temperature range	Order Code	Full Product Name	Ambient temperature range
911401590761	BY570P LED100/CW PSU WB GM	-30 to +50 °C	911401596561	BY570P LED200/865 PSU WB CAU CL	-30 to +50 °C
911401590861	BY570P LED100/NW PSU WB GM	-30 to +50 °C	911401596661	BY570P LED200/840 PSU WB CAU CL	-30 to +50 °C
911401590961	BY570P LED100/CW PSU HRO GM	-30 to +50 °C	911401514981	BY570X LED100/NW Connected WB GM	-30 to +45 °C
911401591061	BY570P LED100/NW PSU HRO GM	-30 to +50 °C	911401515081	BY570X LED100/NW Connected HRO GM	-30 to +45 °C
911401591161	BY570P LED150/CW PSU WB GM	-30 to +50 °C	911401515181	BY570X LED150/NW Connected WB GM	-30 to +45 °C
911401591261	BY570P LED150/NW PSU WB GM	-30 to +50 °C	911401515281	BY570X LED150/NW Connected HRO GM	-30 to +45 °C
911401591361	BY570P LED150/CW PSU HRO GM	-30 to +50 °C	911401515381	BY570X LED200/NW Connected WB GM	-30 to +45 °C
911401591461	BY570P LED150/NW PSU HRO GM	-30 to +50 °C	911401515481	BY570X LED200/NW Connected HRO GM	-30 to +45 °C
911401592361	BY570P LED100/NW PSD WB GM	-30 to +45 °C	911401515581	BY570X LED100/CW Connected WB GM	-30 to +45 °C
911401592461	BY570P LED100/NW PSD HRO GM	-30 to +45 °C	911401515681	BY570X LED100/CW Connected HRO GM	-30 to +45 °C
911401592561	BY570P LED150/NW PSD WB GM	-30 to +45 °C	911401515781	BY570X LED150/CW Connected WB GM	-30 to +45 °C
911401592661	BY570P LED150/NW PSD HRO GM	-30 to +45 °C	911401515881	BY570X LED150/CW Connected HRO GM	-30 to +45 °C
911401593161	BY570P LED100/CW PSD WB GM	-30 to +45 °C	911401515981	BY570X LED200/CW Connected WB GM	-30 to +45 °C
911401593261	BY570P LED100/CW PSD HRO GM	-30 to +45 °C	911401516081	BY570X LED200/CW Connected HRO GM	-30 to +45 °C
911401593361	BY570P LED150/CW PSD WB GM	-30 to +45 °C	911401516281	BY570X LED100/CW Connected NB GM	-30 to +45 °C
911401593461	BY570P LED150/CW PSD HRO GM	-30 to +45 °C	911401516381	BY570X LED100/NW Connected NB GM	-30 to +45 °C
911401593961	BY570P LED100/CW PSU NB GM	-30 to +50 °C	911401516481	BY570X LED150/CW Connected NB GM	-30 to +45 °C
911401594061	BY570P LED100/NW PSU NB GM	-30 to +50 °C	911401516581	BY570X LED150/NW Connected NB GM	-30 to +45 °C
911401594161	BY570P LED150/CW PSU NB GM	-30 to +50 °C	911401516681	BY570X LED200/CW Connected NB GM	-30 to +45 °C
911401594261	BY570P LED150/NW PSU NB GM	-30 to +50 °C	911401516881	BY570X LED100/840 Connected HRO CAU	-30 to +45 °C
911401594761	BY570P LED100/CW PSD NB GM	-30 to +45 °C	911401516981	BY570X LED150/840 Connected WB CAU	-30 to +45 °C
911401594861	BY570P LED100/NW PSD NB GM	-30 to +45 °C	911401517081	BY570X LED150/840 Connected HRO CAU	-30 to +45 °C
911401594961	BY570P LED150/CW PSD NB GM	-30 to +45 °C	911401517181	BY570X LED200/840 Connected WB CAU	-30 to +45 °C
911401595061	BY570P LED150/NW PSD NB GM	-30 to +45 °C	911401517281	BY570X LED200/840 Connected HRO CAU	-30 to +45 °C
911401591961	BY570P LED250/CW PSU WB GM	-30 to +50 °C	911401517381	BY570X LED100/850 Connected WB CAU	-30 to +45 °C
911401592061	BY570P LED250/NW PSU WB GM	-30 to +50 °C	911401517481	BY570X LED100/850 Connected HRO CAU	-30 to +45 °C
911401592161	BY570P LED250/CW PSU HRO GM	-30 to +50 °C	911401517581	BY570X LED150/850 Connected WB CAU	-30 to +45 °C
911401592261	BY570P LED250/NW PSU HRO GM	-30 to +50 °C	911401517681	BY570X LED150/850 Connected HRO CAU	-30 to +45 °C
911401592961	BY570P LED250/NW PSD WB GM	-30 to +45 °C	911401517781	BY570X LED200/850 Connected WB CAU	-30 to +45 °C
911401593061	BY570P LED250/NW PSD HRO GM	-30 to +45 °C	911401517881	BY570X LED200/850 Connected HRO CAU	-30 to +45 °C
911401593761	BY570P LED250/CW PSD WB GM	-30 to +45 °C	911401517981	BY570X LED100/850 Connected NB CAU	-30 to +45 °C
911401593861	BY570P LED250/CW PSD HRO GM	-30 to +45 °C	911401518081	BY570X LED100/840 Connected NB CAU	-30 to +45 °C
911401594561	BY570P LED250/CW PSU NB GM	-30 to +50 °C	911401518181	BY570X LED150/850 Connected NB CAU	-30 to +45 °C
911401594661	BY570P LED250/NW PSU NB GM	-30 to +50 °C	911401518281	BY570X LED150/840 Connected NB CAU	-30 to +45 °C
911401595361	BY570P LED250/CW PSD NB GM	-30 to +45 °C	911401518381	BY570X LED200/850 Connected NB CAU	-30 to +45 °C
911401595461	BY570P LED250/NW PSD NB GM	-30 to +45 °C	911401518481	BY570X LED200/840 Connected NB CAU	-30 to +45 °C
911401597161	BY570P LED250/865 PSU WB CAU CL	-30 to +50 °C	911401519881	BY570X LED200/NW Connected NB GM	-30 to +45 °C
911401597261	BY570P LED250/840 PSU WB CAU CL	-30 to +50 °C	911401532681	BY570X LED250/NW Connected WB GM	-30 to +45 °C
911401591561	BY570P LED200/CW PSU WB GM	-30 to +50 °C	911401532781	BY570X LED250/NW Connected HRO GM	-30 to +45 °C
911401591661	BY570P LED200/NW PSU WB GM	-30 to +50 °C	911401532881	BY570X LED250/CW Connected WB GM	-30 to +45 °C
911401591761	BY570P LED200/CW PSU HRO GM	-30 to +50 °C	911401532981	BY570X LED250/CW Connected HRO GM	-30 to +45 °C
911401591861	BY570P LED200/NW PSU HRO GM	-30 to +50 °C	911401533081	BY570X LED250/CW Connected NB GM	-30 to +45 °C
911401592761	BY570P LED200/NW PSD WB GM	-30 to +45 °C	911401533181	BY570X LED250/NW Connected NB GM	-30 to +45 °C
911401592861	BY570P LED200/NW PSD HRO GM	-30 to +45 °C	911401533281	BY570X LED250/840 Connected WB CAU	-30 to +45 °C
911401593561	BY570P LED200/CW PSD WB GM	-30 to +45 °C	911401533381	BY570X LED250/840 Connected HRO CAU	-30 to +45 °C
911401593661	BY570P LED200/CW PSD HRO GM	-30 to +45 °C	911401533481	BY570X LED250/850 Connected WB CAU	-30 to +45 °C
911401594361	BY570P LED200/CW PSU NB GM	-30 to +50 °C	911401533581	BY570X LED250/850 Connected HRO CAU	-30 to +45 °C
911401594461	BY570P LED200/NW PSU NB GM	-30 to +50 °C	911401533681	BY570X LED250/850 Connected NB CAU	-30 to +45 °C
911401595161	BY570P LED200/CW PSD NB GM	-30 to +45 °C	911401533781	BY570X LED250/840 Connected NB CAU	-30 to +45 °C
911401595261	BY570P LED200/NW PSD NB GM	-30 to +45 °C			

Controls and Dimming

GreenPerform Highbay Rectangular

Order Code	Full Product Name	Dimmable
911401590761	BY570P LED100/CW PSU WB GM	No
911401590861	BY570P LED100/NW PSU WB GM	No
911401590961	BY570P LED100/CW PSU HRO GM	No
911401591061	BY570P LED100/NW PSU HRO GM	No
911401591161	BY570P LED150/CW PSU WB GM	No
911401591261	BY570P LED150/NW PSU WB GM	No
911401591361	BY570P LED150/CW PSU HRO GM	No
911401591461	BY570P LED150/NW PSU HRO GM	No
911401592361	BY570P LED100/NW PSD WB GM	Yes
911401592461	BY570P LED100/NW PSD HRO GM	Yes
911401592561	BY570P LED150/NW PSD WB GM	Yes
911401592661	BY570P LED150/NW PSD HRO GM	Yes
911401593161	BY570P LED100/CW PSD WB GM	Yes
911401593261	BY570P LED100/CW PSD HRO GM	Yes
911401593361	BY570P LED150/CW PSD WB GM	Yes
911401593461	BY570P LED150/CW PSD HRO GM	Yes
911401593961	BY570P LED100/CW PSU NB GM	No
911401594061	BY570P LED100/NW PSU NB GM	No
911401594161	BY570P LED150/CW PSU NB GM	No
911401594261	BY570P LED150/NW PSU NB GM	No
911401594761	BY570P LED100/CW PSD NB GM	Yes
911401594861	BY570P LED100/NW PSD NB GM	Yes
911401594961	BY570P LED150/CW PSD NB GM	Yes
911401595061	BY570P LED150/NW PSD NB GM	Yes
911401591961	BY570P LED250/CW PSU WB GM	No
911401592061	BY570P LED250/NW PSU WB GM	No
911401592161	BY570P LED250/CW PSU HRO GM	No
911401592261	BY570P LED250/NW PSU HRO GM	No
911401592961	BY570P LED250/NW PSD WB GM	Yes
911401593061	BY570P LED250/NW PSD HRO GM	Yes
911401593761	BY570P LED250/CW PSD WB GM	Yes
911401593861	BY570P LED250/CW PSD HRO GM	Yes
911401594561	BY570P LED250/CW PSU NB GM	No
911401594661	BY570P LED250/NW PSU NB GM	No
911401595361	BY570P LED250/CW PSD NB GM	Yes
911401595461	BY570P LED250/NW PSD NB GM	Yes
911401597161	BY570P LED250/865 PSU WB CAU CL	No
911401597261	BY570P LED250/840 PSU WB CAU CL	No
911401591561	BY570P LED200/CW PSU WB GM	No
911401591661	BY570P LED200/NW PSU WB GM	No
911401591761	BY570P LED200/CW PSU HRO GM	No
911401591861	BY570P LED200/NW PSU HRO GM	No
911401592761	BY570P LED200/NW PSD WB GM	Yes
911401592861	BY570P LED200/NW PSD HRO GM	Yes
911401593561	BY570P LED200/CW PSD WB GM	Yes
911401593661	BY570P LED200/CW PSD HRO GM	Yes
911401594361	BY570P LED200/CW PSU NB GM	No
911401594461	BY570P LED200/NW PSU NB GM	No
911401595161	BY570P LED200/CW PSD NB GM	Yes
911401595261	BY570P LED200/NW PSD NB GM	Yes

Order Code	Full Product Name	Dimmable
911401596561	BY570P LED200/865 PSU WB CAU CL	No
911401596661	BY570P LED200/840 PSU WB CAU CL	No
911401514981	BY570X LED100/NW Connected WB GM	Wireless Dim
911401515081	BY570X LED100/NW Connected HRO GM	Wireless Dim
911401515181	BY570X LED150/NW Connected WB GM	Wireless Dim
911401515281	BY570X LED150/NW Connected HRO GM	Wireless Dim
911401515381	BY570X LED200/NW Connected WB GM	Wireless Dim
911401515481	BY570X LED200/NW Connected HRO GM	Wireless Dim
911401515581	BY570X LED100/CW Connected WB GM	Wireless Dim
911401515681	BY570X LED100/CW Connected HRO GM	Wireless Dim
911401515781	BY570X LED150/CW Connected WB GM	Wireless Dim
911401515881	BY570X LED150/CW Connected HRO GM	Wireless Dim
911401515981	BY570X LED200/CW Connected WB GM	Wireless Dim
911401516081	BY570X LED200/CW Connected HRO GM	Wireless Dim
911401516281	BY570X LED100/CW Connected NB GM	Wireless Dim
911401516381	BY570X LED100/NW Connected NB GM	Wireless Dim
911401516481	BY570X LED150/CW Connected NB GM	Wireless Dim
911401516581	BY570X LED150/NW Connected NB GM	Wireless Dim
911401516681	BY570X LED200/CW Connected NB GM	Wireless Dim
911401516881	BY570X LED100/840 Connected HRO CAU	Wireless Dim
911401516981	BY570X LED150/840 Connected WB CAU	Wireless Dim
911401517081	BY570X LED150/840 Connected HRO CAU	Wireless Dim
911401517181	BY570X LED200/840 Connected WB CAU	Wireless Dim
911401517281	BY570X LED200/840 Connected HRO CAU	Wireless Dim
911401517381	BY570X LED100/850 Connected WB CAU	Wireless Dim
911401517481	BY570X LED100/850 Connected HRO CAU	Wireless Dim
911401517581	BY570X LED150/850 Connected WB CAU	Wireless Dim
911401517681	BY570X LED150/850 Connected HRO CAU	Wireless Dim
911401517781	BY570X LED200/850 Connected WB CAU	Wireless Dim
911401517881	BY570X LED200/850 Connected HRO CAU	Wireless Dim
911401517981	BY570X LED100/850 Connected NB CAU	Wireless Dim
911401518081	BY570X LED100/840 Connected NB CAU	Wireless Dim
911401518181	BY570X LED150/850 Connected NB CAU	Wireless Dim
911401518281	BY570X LED150/840 Connected NB CAU	Wireless Dim
911401518381	BY570X LED200/850 Connected NB CAU	Wireless Dim
911401518481	BY570X LED200/840 Connected NB CAU	Wireless Dim
911401519881	BY570X LED200/NW Connected NB GM	Wireless Dim
911401532681	BY570X LED250/NW Connected WB GM	Wireless Dim
911401532781	BY570X LED250/NW Connected HRO GM	Wireless Dim
911401532881	BY570X LED250/CW Connected WB GM	Wireless Dim
911401532981	BY570X LED250/CW Connected HRO GM	Wireless Dim
911401533081	BY570X LED250/CW Connected NB GM	Wireless Dim
911401533181	BY570X LED250/NW Connected NB GM	Wireless Dim
911401533281	BY570X LED250/840 Connected WB CAU	Wireless Dim
911401533381	BY570X LED250/840 Connected HRO CAU	Wireless Dim
911401533481	BY570X LED250/850 Connected WB CAU	Wireless Dim
911401533581	BY570X LED250/850 Connected HRO CAU	Wireless Dim
911401533681	BY570X LED250/850 Connected NB CAU	Wireless Dim
911401533781	BY570X LED250/840 Connected NB CAU	Wireless Dim

Approval and Application

GreenPerform Highbay Rectangular

Order Code	Full Product Name	CE mark	Flammability mark	Mech. impact protection code
911401590761	BY570P LED100/CW PSU WB GM	CE mark	-	IK06
911401590861	BY570P LED100/NW PSU WB GM	CE mark	-	IK06
911401590961	BY570P LED100/CW PSU HRO GM	CE mark	-	IK06
911401591061	BY570P LED100/NW PSU HRO GM	CE mark	-	IK06
911401591161	BY570P LED150/CW PSU WB GM	CE mark	-	IK06
911401591261	BY570P LED150/NW PSU WB GM	CE mark	-	IK06
911401591361	BY570P LED150/CW PSU HRO GM	CE mark	-	IK06
911401591461	BY570P LED150/NW PSU HRO GM	CE mark	-	IK06
911401592361	BY570P LED100/NW PSD WB GM	CE mark	-	IK06
911401592461	BY570P LED100/NW PSD HRO GM	CE mark	-	IK06
911401592561	BY570P LED150/NW PSD WB GM	CE mark	-	IK06
911401592661	BY570P LED150/NW PSD HRO GM	CE mark	-	IK06
911401593161	BY570P LED100/CW PSD WB GM	CE mark	-	IK06
911401593261	BY570P LED100/CW PSD HRO GM	CE mark	-	IK06
911401593361	BY570P LED150/CW PSD WB GM	CE mark	-	IK06
911401593461	BY570P LED150/CW PSD HRO GM	CE mark	-	IK06
911401593961	BY570P LED100/CW PSU NB GM	CE mark	-	IK06
911401594061	BY570P LED100/NW PSU NB GM	CE mark	-	IK06
911401594161	BY570P LED150/CW PSU NB GM	CE mark	-	IK06
911401594261	BY570P LED150/NW PSU NB GM	CE mark	-	IK06
911401594761	BY570P LED100/CW PSD NB GM	CE mark	-	IK06
911401594861	BY570P LED100/NW PSD NB GM	CE mark	-	IK06
911401594961	BY570P LED150/CW PSD NB GM	CE mark	-	IK06
911401595061	BY570P LED150/NW PSD NB GM	CE mark	-	IK06

Order Code	Full Product Name	CE mark	Flammability mark	Mech. impact protection code
911401591961	BY570P LED250/CW PSU WB GM	CE mark	-	IK06
911401592061	BY570P LED250/NW PSU WB GM	CE mark	-	IK06
911401592161	BY570P LED250/CW PSU HRO GM	CE mark	-	IK06
911401592261	BY570P LED250/NW PSU HRO GM	CE mark	-	IK06
911401592961	BY570P LED250/NW PSD WB GM	CE mark	-	IK06
911401593061	BY570P LED250/NW PSD HRO GM	CE mark	-	IK06
911401593761	BY570P LED250/CW PSD WB GM	CE mark	-	IK06
911401593861	BY570P LED250/CW PSD HRO GM	CE mark	-	IK06
911401594561	BY570P LED250/CW PSU NB GM	CE mark	-	IK06
911401594661	BY570P LED250/NW PSU NB GM	CE mark	-	IK06
911401595361	BY570P LED250/CW PSD NB GM	CE mark	-	IK06
911401595461	BY570P LED250/NW PSD NB GM	CE mark	-	IK06
911401597161	BY570P LED250/865 PSU WB CAU CL	-	-	IK06
911401597261	BY570P LED250/840 PSU WB CAU CL	-	-	IK06
911401591561	BY570P LED200/CW PSU WB GM	CE mark	-	IK06
911401591661	BY570P LED200/NW PSU WB GM	CE mark	-	IK06
911401591761	BY570P LED200/CW PSU HRO GM	CE mark	-	IK06
911401591861	BY570P LED200/NW PSU HRO GM	CE mark	-	IK06
911401592761	BY570P LED200/NW PSD WB GM	CE mark	-	IK06
911401592861	BY570P LED200/NW PSD HRO GM	CE mark	-	IK06
911401593561	BY570P LED200/CW PSD WB GM	CE mark	-	IK06
911401593661	BY570P LED200/CW PSD HRO GM	CE mark	-	IK06
911401594361	BY570P LED200/CW PSU NB GM	CE mark	-	IK06
911401594461	BY570P LED200/NW PSU NB GM	CE mark	-	IK06

GreenPerform Highbay Rectangular

Order Code	Full Product Name	CE mark	Flammability mark	Mech. impact protection code
911401595161	BY570P LED200/CW PSD NB GM	CE mark	-	IK06
911401595261	BY570P LED200/NW PSD NB GM	CE mark	-	IK06
911401596561	BY570P LED200/865 PSU WB CAU CL	-	-	IK06
911401596661	BY570P LED200/840 PSU WB CAU CL	-	-	IK06
911401514981	BY570X LED100/NW Connected WB GM	CE mark	For mounting on normally flammable surfaces	IK05
911401515081	BY570X LED100/NW Connected HRO GM	CE mark	For mounting on normally flammable surfaces	IK05
911401515181	BY570X LED150/NW Connected WB GM	CE mark	For mounting on normally flammable surfaces	IK05
911401515281	BY570X LED150/NW Connected HRO GM	CE mark	For mounting on normally flammable surfaces	IK05
911401515381	BY570X LED200/NW Connected WB GM	CE mark	For mounting on normally flammable surfaces	IK05
911401515481	BY570X LED200/NW Connected HRO GM	CE mark	For mounting on normally flammable surfaces	IK05
911401515581	BY570X LED100/CW Connected WB GM	CE mark	For mounting on normally flammable surfaces	IK05
911401515681	BY570X LED100/CW Connected HRO GM	CE mark	For mounting on normally flammable surfaces	IK05
911401515781	BY570X LED150/CW Connected WB GM	CE mark	For mounting on normally flammable surfaces	IK05
911401515881	BY570X LED150/CW Connected HRO GM	CE mark	For mounting on normally flammable surfaces	IK05
911401515981	BY570X LED200/CW Connected WB GM	CE mark	For mounting on normally flammable surfaces	IK05
911401516081	BY570X LED200/CW Connected HRO GM	CE mark	For mounting on normally flammable surfaces	IK05
911401516281	BY570X LED100/CW Connected NB GM	CE mark	For mounting on normally flammable surfaces	IK05

Order Code	Full Product Name	CE mark	Flammability mark	Mech. impact protection code
911401516381	BY570X LED100/NW Connected NB GM	CE mark	For mounting on normally flammable surfaces	IK05
911401516481	BY570X LED150/CW Connected NB GM	CE mark	For mounting on normally flammable surfaces	IK05
911401516581	BY570X LED150/NW Connected NB GM	CE mark	For mounting on normally flammable surfaces	IK05
911401516681	BY570X LED200/CW Connected NB GM	CE mark	For mounting on normally flammable surfaces	IK05
911401516881	BY570X LED100/840 Connected HRO CAU	-	For mounting on normally flammable surfaces	IK05
911401516981	BY570X LED150/840 Connected WB CAU	-	For mounting on normally flammable surfaces	IK05
911401517081	BY570X LED150/840 Connected HRO CAU	-	For mounting on normally flammable surfaces	IK05
911401517181	BY570X LED200/840 Connected WB CAU	-	For mounting on normally flammable surfaces	IK05
911401517281	BY570X LED200/840 Connected HRO CAU	-	For mounting on normally flammable surfaces	IK05
911401517381	BY570X LED100/850 Connected WB CAU	-	For mounting on normally flammable surfaces	IK05
911401517481	BY570X LED100/850 Connected HRO CAU	-	For mounting on normally flammable surfaces	IK05
911401517581	BY570X LED150/850 Connected WB CAU	-	For mounting on normally flammable surfaces	IK05
911401517681	BY570X LED150/850 Connected HRO CAU	-	For mounting on normally flammable surfaces	IK05
911401517781	BY570X LED200/850 Connected WB CAU	-	For mounting on normally flammable surfaces	IK05
911401517881	BY570X LED200/850 Connected HRO CAU	-	For mounting on normally flammable surfaces	IK05
911401517981	BY570X LED100/850 Connected NB CAU	-	For mounting on normally flammable surfaces	IK05

GreenPerform Highbay Rectangular

Order Code	Full Product Name	CE mark	Flammability mark	Mech. impact protection code
911401518081	BY570X LED100/840 Connected NB CAU	-	For mounting on normally flammable surfaces	IK05
911401518181	BY570X LED150/850 Connected NB CAU	-	For mounting on normally flammable surfaces	IK05
911401518281	BY570X LED150/840 Connected NB CAU	-	For mounting on normally flammable surfaces	IK05
911401518381	BY570X LED200/850 Connected NB CAU	-	For mounting on normally flammable surfaces	IK05
911401518481	BY570X LED200/840 Connected NB CAU	-	For mounting on normally flammable surfaces	IK05
911401519881	BY570X LED200/NW Connected NB GM	CE mark	For mounting on normally flammable surfaces	IK05
911401532681	BY570X LED250/NW Connected WB GM	CE mark	For mounting on normally flammable surfaces	IK05
911401532781	BY570X LED250/NW Connected HRO GM	CE mark	For mounting on normally flammable surfaces	IK05
911401532881	BY570X LED250/CW Connected WB GM	CE mark	For mounting on normally flammable surfaces	IK05

Order Code	Full Product Name	CE mark	Flammability mark	Mech. impact protection code
911401532981	BY570X LED250/CW Connected HRO GM	CE mark	For mounting on normally flammable surfaces	IK05
911401533081	BY570X LED250/CW Connected NB GM	CE mark	For mounting on normally flammable surfaces	IK05
911401533181	BY570X LED250/NW Connected NB GM	CE mark	For mounting on normally flammable surfaces	IK05
911401533281	BY570X LED250/840 Connected WB CAU	-	For mounting on normally flammable surfaces	IK05
911401533381	BY570X LED250/840 Connected HRO CAU	-	For mounting on normally flammable surfaces	IK05
911401533481	BY570X LED250/850 Connected WB CAU	-	For mounting on normally flammable surfaces	IK05
911401533581	BY570X LED250/850 Connected HRO CAU	-	For mounting on normally flammable surfaces	IK05
911401533681	BY570X LED250/850 Connected NB CAU	-	For mounting on normally flammable surfaces	IK05
911401533781	BY570X LED250/840 Connected NB CAU	-	For mounting on normally flammable surfaces	IK05

Initial Performance (IEC Compliant)

Order Code	Full Product Name	Initial chromaticity
911401590761	BY570P LED100/CW PSU WB GM	-
911401590861	BY570P LED100/NW PSU WB GM	-
911401590961	BY570P LED100/CW PSU HRO GM	-
911401591061	BY570P LED100/NW PSU HRO GM	-
911401591161	BY570P LED150/CW PSU WB GM	-
911401591261	BY570P LED150/NW PSU WB GM	-
911401591361	BY570P LED150/CW PSU HRO GM	-
911401591461	BY570P LED150/NW PSU HRO GM	-
911401592361	BY570P LED100/NW PSD WB GM	-
911401592461	BY570P LED100/NW PSD HRO GM	-
911401592561	BY570P LED150/NW PSD WB GM	-
911401592661	BY570P LED150/NW PSD HRO GM	-
911401593161	BY570P LED100/CW PSD WB GM	-
911401593261	BY570P LED100/CW PSD HRO GM	-
911401593361	BY570P LED150/CW PSD WB GM	-
911401593461	BY570P LED150/CW PSD HRO GM	-
911401593961	BY570P LED100/CW PSU NB GM	-
911401594061	BY570P LED100/NW PSU NB GM	-

Order Code	Full Product Name	Initial chromaticity
911401594161	BY570P LED150/CW PSU NB GM	-
911401594261	BY570P LED150/NW PSU NB GM	-
911401594761	BY570P LED100/CW PSD NB GM	-
911401594861	BY570P LED100/NW PSD NB GM	-
911401594961	BY570P LED150/CW PSD NB GM	-
911401595061	BY570P LED150/NW PSD NB GM	-
911401591961	BY570P LED250/CW PSU WB GM	-
911401592061	BY570P LED250/NW PSU WB GM	-
911401592161	BY570P LED250/CW PSU HRO GM	-
911401592261	BY570P LED250/NW PSU HRO GM	-
911401592961	BY570P LED250/NW PSD WB GM	-
911401593061	BY570P LED250/NW PSD HRO GM	-
911401593761	BY570P LED250/CW PSD WB GM	-
911401593861	BY570P LED250/CW PSD HRO GM	-
911401594561	BY570P LED250/CW PSU NB GM	-
911401594661	BY570P LED250/NW PSU NB GM	-
911401595361	BY570P LED250/CW PSD NB GM	-
911401595461	BY570P LED250/NW PSD NB GM	-

GreenPerform Highbay Rectangular

Order Code	Full Product Name	Initial chromaticity
911401597161	BY570P LED250/865 PSU WB CAU CL	-
911401597261	BY570P LED250/840 PSU WB CAU CL	-
911401591561	BY570P LED200/CW PSU WB GM	-
911401591661	BY570P LED200/NW PSU WB GM	-
911401591761	BY570P LED200/CW PSU HRO GM	-
911401591861	BY570P LED200/NW PSU HRO GM	-
911401592761	BY570P LED200/NW PSD WB GM	-
911401592861	BY570P LED200/NW PSD HRO GM	-
911401593561	BY570P LED200/CW PSD WB GM	-
911401593661	BY570P LED200/CW PSD HRO GM	-
911401594361	BY570P LED200/CW PSU NB GM	-
911401594461	BY570P LED200/NW PSU NB GM	-
911401595161	BY570P LED200/CW PSD NB GM	-
911401595261	BY570P LED200/NW PSD NB GM	-
911401596561	BY570P LED200/865 PSU WB CAU CL	-
911401596661	BY570P LED200/840 PSU WB CAU CL	-
911401514981	BY570X LED100/NW Connected WB GM	(0.385, 0.380) SDCM<5
911401515081	BY570X LED100/NW Connected HRO GM	(0.385, 0.380) SDCM<5
911401515181	BY570X LED150/NW Connected WB GM	(0.385, 0.380) SDCM<5
911401515281	BY570X LED150/NW Connected HRO GM	(0.385, 0.380) SDCM<5
911401515381	BY570X LED200/NW Connected WB GM	(0.385, 0.380) SDCM<5
911401515481	BY570X LED200/NW Connected HRO GM	(0.385, 0.380) SDCM<5
911401515581	BY570X LED100/CW Connected WB GM	(0.316, 0.332) SDCM<5
911401515681	BY570X LED100/CW Connected HRO GM	(0.316, 0.332) SDCM<5
911401515781	BY570X LED150/CW Connected WB GM	(0.316, 0.332) SDCM<5
911401515881	BY570X LED150/CW Connected HRO GM	(0.316, 0.332) SDCM<5
911401515981	BY570X LED200/CW Connected WB GM	(0.316, 0.332) SDCM<5
911401516081	BY570X LED200/CW Connected HRO GM	(0.316, 0.332) SDCM<5
911401516281	BY570X LED100/CW Connected NB GM	(0.316, 0.332) SDCM<5
911401516381	BY570X LED100/NW Connected NB GM	(0.385, 0.380) SDCM<5
911401516481	BY570X LED150/CW Connected NB GM	(0.316, 0.332) SDCM<5
911401516581	BY570X LED150/NW Connected NB GM	(0.385, 0.380) SDCM<5

Order Code	Full Product Name	Initial chromaticity
911401516681	BY570X LED200/CW Connected NB GM	(0.316, 0.332) SDCM<5
911401516881	BY570X LED100/840 Connected HRO CAU	(0.385, 0.380) SDCM<5
911401516981	BY570X LED150/840 Connected WB CAU	(0.385, 0.380) SDCM<5
911401517081	BY570X LED150/840 Connected HRO CAU	(0.385, 0.380) SDCM<5
911401517181	BY570X LED200/840 Connected WB CAU	(0.385, 0.380) SDCM<5
911401517281	BY570X LED200/840 Connected HRO CAU	(0.385, 0.380) SDCM<5
911401517381	BY570X LED100/850 Connected WB CAU	(0.346, 0.356) SDCM<5
911401517481	BY570X LED100/850 Connected HRO CAU	(0.346, 0.356) SDCM<5
911401517581	BY570X LED150/850 Connected WB CAU	(0.346, 0.356) SDCM<5
911401517681	BY570X LED150/850 Connected HRO CAU	(0.346, 0.356) SDCM<5
911401517781	BY570X LED200/850 Connected WB CAU	(0.346, 0.356) SDCM<5
911401517881	BY570X LED200/850 Connected HRO CAU	(0.346, 0.356) SDCM<5
911401517981	BY570X LED100/850 Connected NB CAU	(0.346, 0.356) SDCM<5
911401518081	BY570X LED100/840 Connected NB CAU	(0.385, 0.380) SDCM<5
911401518181	BY570X LED150/850 Connected NB CAU	(0.346, 0.356) SDCM<5
911401518281	BY570X LED150/840 Connected NB CAU	(0.385, 0.380) SDCM<5
911401518381	BY570X LED200/850 Connected NB CAU	(0.346, 0.356) SDCM<5
911401518481	BY570X LED200/840 Connected NB CAU	(0.385, 0.380) SDCM<5
911401519881	BY570X LED200/NW Connected NB GM	(0.385, 0.380) SDCM<5
911401532681	BY570X LED250/NW Connected WB GM	(0.385, 0.380) SDCM<5
911401532781	BY570X LED250/NW Connected HRO GM	(0.385, 0.380) SDCM<5
911401532881	BY570X LED250/CW Connected WB GM	(0.316, 0.332) SDCM<5
911401532981	BY570X LED250/CW Connected HRO GM	(0.316, 0.332) SDCM<5
911401533081	BY570X LED250/CW Connected NB GM	(0.316, 0.332) SDCM<5
911401533181	BY570X LED250/NW Connected NB GM	(0.385, 0.380) SDCM<5
911401533281	BY570X LED250/840 Connected WB CAU	(0.385, 0.380) SDCM<5
911401533381	BY570X LED250/840 Connected HRO CAU	(0.385, 0.380) SDCM<5
911401533481	BY570X LED250/850 Connected WB CAU	(0.346, 0.356) SDCM<5
911401533581	BY570X LED250/850 Connected HRO CAU	(0.346, 0.356) SDCM<5
911401533681	BY570X LED250/850 Connected NB CAU	(0.346, 0.356) SDCM<5
911401533781	BY570X LED250/840 Connected NB CAU	(0.385, 0.380) SDCM<5

